


Baze podataka 1


ER dijagrami u Oracle SQL Developer
Data Modeler-u

Tip entiteta



E		
P *	A1	NUMERIC
*	A2	VARCHAR
	A3	FLOAT
	A4	Date
🔑 {entity} PK (A1)		

Tip poveznika 1:N



Relation Properties

Relation Properties - AB

General

Name: AB

Use surrogate keys:

Source Cardinality

Source: A

Source key:

Name on Source:

Source Entity Synonym: A

Source to Target Cardinality: 1

Source Optional:

Transferable:

Dominant Role: None

Identifying: ID zavisnost

Delete Rule: NO ACTION

Target Cardinality

Target: B

Target key:

Name on Target:

Target Entity Synonym: B


Target to Source Cardinality: *

Target Optional: Minimalni kardinalitet


Transferable:

OK Apply Cancel Help


Rekurzivni tip poveznika N:1





Identifikacioni tip poveznika




Tip poveznika M:N




Rekurzivni tip poveznika M:N




Tip poveznika 1:1




Gerund



Gerund



IS-A hijerarhija



Entity Properties

Entity Properties - B

General

Attributes

Unique Identifiers

Relationships

Subtypes

Volume Properties

Engineer To

Comments

Comments in RDBMS

Overlapping Attributes

Notes

Impact Analysis

Measurements

Change Requests

Responsible Parties

Documents

Dynamic Properties

Classification Types

Summary

General

Name: B

Short Name:

Synonyms:

Synonym to display:

Preferred Abbreviation:

Long Name: B

Based on Structured Type:

Super Type: A

Source:


Allow Type Substitution:

Create Surrogate Key:

Deprecated:

OK Apply Naming Rules Cancel Help

IS-A hijerarhija



Kraj prezentacije

Baze podataka 1

ER dijagrami u Oracle SQL Developer
Data Modeler-u